

PATLITE®

2021
Stock List EUROPE

*This standard inventory product list is a list of products that PATLITE holds as inventory as of April 2021 and does not indicate stock status of dealers. It may be temporary shortage of inventory depending on the shipping situation. Please confirm in advance through the dealer regarding the availability and delivery date at the time of ordering.

Signal Tower

Series	Part No	Rated Voltage	Tiers	Color	Function 1	Function 2	Mount	Wiring	
LR4 Φ40	LR4-202LJBW-RG	24V DC	2	R, G	Continuous, Flash, Buzzer	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-302WJBW-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Cable	
	LR4-302WJBU-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Cable	
	LR4-302WJNW-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	Cable	
	LR4-302WJNU-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	Cable	
	LR4-302LJBW-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-302LJBU-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-302LJNW-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-302LJNU-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-302QJNW-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Pole Mount with Angle bracket	Cable	
	LR4-302QJBW-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Pole Mount with Angle bracket	Cable	
	LR4-402LJBW-RYGB	24V DC	4	R, Y, G, B	Continuous, Flash, Buzzer	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-02WJNW	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Cable	
	LR4-02WJNU	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Cable	
	LR4-02LJNU	24V DC	-	-	Continuous	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-02LJNW	24V DC	-	-	Continuous	NPN / PNP	Pole Mount with L-bracket	Cable	
	LR4-02PJNU	24V DC	-	-	Continuous	NPN / PNP	Pole Mount with Circular Bracket	Cable	
	LR4-BW	-	1	-	Buzzer	-	-	-	
	LR4-BU	-	1	-	Buzzer	-	-	-	
	LR4-E-R	-	1	R	-	-	-	-	
	LR4-E-Y	-	1	Y	-	-	-	-	
	LR4-E-G	-	1	G	-	-	-	-	
	LR4-E-B	-	1	B	-	-	-	-	
	LR4-E-C	-	1	C	-	-	-	-	
	LR4-E-RZ	-	1	R	Clear-globe	-	-	-	
	LR4-E-YZ	-	1	Y	Clear-globe	-	-	-	
	LR4-E-GZ	-	1	G	Clear-globe	-	-	-	
	LR4-E-BZ	-	1	B	Clear-globe	-	-	-	
	LR5 Φ50	LR5-02WTNW	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Terminal
		LR5-02WTNU	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Terminal
LR5-02WTNK		24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Terminal	
LR5-02KTNW		24V DC	-	-	Continuous	NPN / PNP	Knock-outs Mount	Terminal	
LR5-02KTNU		24V DC	-	-	Continuous	NPN / PNP	Knock-outs Mount	Terminal	
LR5-02KTNK		24V DC	-	-	Continuous	NPN / PNP	Knock-outs Mount	Terminal	
LR5-02WJNW		24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Cable	
LR5-02LJNW		24V DC	-	-	Continuous	NPN / PNP	Pole Mount with L-bracket	Cable	
LR5-02PJNW		24V DC	-	-	Continuous	NPN / PNP	Pole Mount with Circular Bracket	Cable	
LR5-BW		-	1	-	Buzzer	-	-	-	
LR5-BU		-	1	-	Buzzer	-	-	-	
LR5-BK		-	1	-	Buzzer	-	-	-	
LR5-E-R		-	1	R	-	-	-	-	
LR5-E-Y		-	1	Y	-	-	-	-	
LR5-E-G		-	1	G	-	-	-	-	
LR5-E-B		-	1	B	-	-	-	-	
LR5-E-C		-	1	C	-	-	-	-	

Signal Tower

Series	Part No	Rated Voltage	Tiers	Color	Function 1	Function 2	Mount	Wiring
LR6 Φ60	LR6-202WJBW-RG	24V DC	2	R, G	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Cable
	LR6-302WJBW-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Cable
	LR6-302WJBU-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Cable
	LR6-302WJNW-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	Cable
	LR6-302WJNU-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	Cable
	LR6-302PJBW-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Pole Mount with Circular Bracket	Cable
	LR6-302PJBU-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Pole Mount with Circular Bracket	Cable
	LR6-302PJNW-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Pole Mount with Circular Bracket	Cable
	LR6-302PJNU-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Pole Mount with Circular Bracket	Cable
	LR6-302WCNW-RYG	24V DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	M12
	LR6-402WJBW-RYGB	24V DC	4	R, Y, G, B	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Cable
	LR6-02WCNW	24V DC	-	-	Continuous	NPN / PNP	Direct mount through 30mm mounting hole	M12
	LR6-02LJNU	24V DC	-	-	Continuous	NPN / PNP	Pole Mount with L-bracket	Cable
	LR6-02PJNW	24V DC	-	-	Continuous	NPN / PNP	Pole Mount with Circular Bracket	Cable
	LR6-02PJNU	24V DC	-	-	Continuous	NPN / PNP	Pole Mount with Circular Bracket	Cable
	LR6-02WJNU	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Cable
	LR6-02WJNW	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Cable
	LR6-WMNW	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	M12
	LR6-M2WJNW	100 - 240V AC	-	-	Continuous	NPN	Direct Mount	Cable
	LR6-BW	-	1	-	Buzzer	-	-	-
	LR6-BU	-	1	-	Buzzer	-	-	-
	LR6-E-R	-	1	R	-	-	-	-
	LR6-E-Y	-	1	Y	-	-	-	-
	LR6-E-G	-	1	G	-	-	-	-
	LR6-E-B	-	1	B	-	-	-	-
	LR6-E-C	-	1	C	-	-	-	-
	LR6-E-RZ	-	1	R	Clear-globe	-	-	-
	LR6-E-YZ	-	1	Y	Clear-globe	-	-	-
	LR6-E-GZ	-	1	G	Clear-globe	-	-	-
	LR6-E-BZ	-	1	B	Clear-globe	-	-	-
LR6-E-MZ	-	1	Multicolor (7colors)	Clear-globe	-	-	-	
LR7 Φ70	LR7-02WTNW	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Terminal
	LR7-02WTNU	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Terminal
	LR7-02WTNK	24V DC	-	-	Continuous	NPN / PNP	Direct Mount	Terminal
	LR7-02KTNW	24V DC	-	-	Continuous	NPN / PNP	Knock-outs Mount	Terminal
	LR7-02KTNU	24V DC	-	-	Continuous	NPN / PNP	Knock-outs Mount	Terminal
	LR7-02KTNK	24V DC	-	-	Continuous	NPN / PNP	Knock-outs Mount	Terminal
	LR7-BW	-	1	-	Buzzer	-	-	-
	LR7-BU	-	1	-	Buzzer	-	-	-
	LR7-BK	-	1	-	Buzzer	-	-	-
	LR7-E-R	-	1	R	-	-	-	-
	LR7-E-Y	-	1	Y	-	-	-	-
	LR7-E-G	-	1	G	-	-	-	-
	LR7-E-B	-	1	B	-	-	-	-
	LR7-E-C	-	1	C	-	-	-	-

Signal Tower

Series	Part No	Rated Voltage	Tiers	Color	Function 1	Function 2	Mount	Wiring
LA6 Φ60	LA6-3DTNUN-RYG	24V DC	3	Multicolor	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Terminal
	LA6-3DTNUN-RYG	24V DC	3	Multicolor	Continuous, Flash	NPN / PNP	Direct Mount	Terminal
	LA6-3DTNWB-RYG	24V DC	3	Multicolor	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Terminal
	LA6-5DTNUN-RYGBC	24V DC	5	Multicolor	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Terminal
	LA6-5DTNUN-RYGBC	24V DC	5	Multicolor	Continuous, Flash	NPN / PNP	Direct Mount	Terminal
	LA6-5DTNWB-RYGBC	24V DC	5	Multicolor	Continuous, Flash, Buzzer	NPN / PNP	Direct Mount	Terminal
MES Φ25	MES-302A-RYG	24V AC / DC	3	R, Y, G	Continuous	NPN	Direct Mount	Cable
	MES-402A-RYGB	24V AC / DC	4	R, Y, G, B	Continuous	NPN	Direct Mount	Cable
MP Φ30	MP-302C-RYG	24V AC / DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	M12
	MP-302-RYG	24V AC / DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	Cable
	MP-302-RYG+FB146	24V AC / DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	3M Cable
MPS Φ30	MPS-102-R	24V AC / DC	1	R	Continuous	NPN / PNP	Direct Mount	Cable
	MPS-202-RG	24V AC / DC	2	R, G	Continuous	NPN / PNP	Direct Mount	Cable
	MPS-302-RYG	24V AC / DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	Cable
	MPS-302-RYG+FB146	24V AC / DC	3	R, Y, G	Continuous	NPN / PNP	Direct Mount	3M Cable
	MPS-402-RYGB-Z+FB146	24V AC / DC	4	R, Y, G, B (Clear-globe)	Continuous	NPN / PNP	Direct Mount	3M Cable
MP-B Φ30	MP-B	-	-	-	Buzzer	-	-	-
	MP-B+FB216	-	-	-	Buzzer	-	-	-
HSST Φ50	HSST-3M2N-RYG+FB278	100 - 240V AC	3	R, Y, G	Continuous, Manual Control (switch)		Bracket-clamp Mount, Wall Mount, Cubicle-edge Mount	Cable
WE W90x D37.5	WE-302FB-RYG	24V AC / DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Wall Mount	Cable
	WE-302-RYG	24V AC / DC	3	R, Y, G	Continuous	NPN / PNP	Wall Mount	Cable
	WE-402-RYGB	24V AC / DC	4	R, Y, G, B	Continuous	NPN / PNP	Wall Mount	Cable
	WE-402FB-RYGB	24V AC / DC	4	R, Y, G, B	Continuous, Flash, Buzzer	NPN / PNP	Wall Mount	Cable
WEP W90x D37.5	WEP-302FB-RYG	24V AC / DC	3	R, Y, G	Continuous, Flash, Buzzer	NPN / PNP	Wall Mount	Cable
	WEP-302-RYG	24V AC / DC	3	R, Y, G	Continuous	NPN / PNP	Wall Mount	Cable
	WEP-402FB-RYGB	24V AC / DC	4	R, Y, G, B	Continuous, Flash, Buzzer	NPN / PNP	Wall Mount	Cable
	WEP-502-RYGBC	24V AC / DC	5	R, Y, G, B, C	Continuous	NPN / PNP	Wall Mount	Cable
WEP W90x D37.5	WME-402DFB-RYGB	24V AC / DC	4	R, Y, G, B	Continuous, Flash, Buzzer	NPN / PNP	Wall Mount	Cable

Signal Light

Series	Part No	Rated Voltage	Function	Light Source	Color	Wiring
NE-A Φ56	NE-24A-R	24V DC	Continuous	LED	R	Terminal
	NE-24A-Y	24V DC	Continuous	LED	Y	Terminal
	NE-24A-G	24V DC	Continuous	LED	G	Terminal
	NE-24A-B	24V DC	Continuous	LED	B	Terminal
	NE-24A-C	24V DC	Continuous	LED	C	Terminal
	NE-M1ANN-M	12-24V DC	Continuous, Flash	LED	Multicolor(7colors)	Cable
	NE-M1ANB-M	12-24V DC	Continuous, Flash, Buzzer	LED	Multicolor(7colors)	Cable
NE-M1ATB-M	12-24V DC	Continuous, Buzzer, Touch sensor	LED	Multicolor(7colors)	Cable	
LFH Φ100	LFH-24-R	24V DC	Flashing	LED	R	Cable
	LFH-24-Y	24V DC	Flashing	LED	Y	Cable
PFH Φ100	PFH-BT-R	4 "AA" Alkaline dry cell batteries	Flashing	LED	R	Magnet
	PFH-BT-Y	4 "AA" Alkaline dry cell batteries	Flashing	LED	Y	Magnet

Signal Beacons

Series	Part No	Rated Voltage	Light Source	Color	Functions	Wiring
SKH Φ100	SKH-M1T-R	12-24V DC	LED	R	Rotating	Terminal Block
	SKH-M1T-Y	12-24V DC	LED	Y	Rotating	Terminal Block
	SKH-M1TB-R	12-24V DC	LED	R	Rotating, Buzzer	Terminal Block
	SKH-M1TB-Y	12-24V DC	LED	Y	Rotating, Buzzer	Terminal Block
	SKH-M2T-R	100-240V AC	LED	R	Rotating	Terminal Block
	SKH-M2T-Y	100-240V AC	LED	Y	Rotating	Terminal Block
SKP Φ150	SKP-M1J-R	12-24V DC	LED	R	Rotating	Cable
	SKP-M1J-Y	12-24V DC	LED	Y	Rotating	Cable
	SKP-M2J-R	100-240V AC	LED	R	Rotating	Cable
	SKP-M2J-Y	100-240V AC	LED	Y	Rotating	Cable
SL08 Φ80	SL08-M1KTN-R	12-24V DC	LED	R	Flashing	2-Point Hole Type Mounting / Terminal Block
	SL08-M1KTN-Y	12-24V DC	LED	Y	Flashing	2-Point Hole Type Mounting / Terminal Block
	SL08-M1KTB-R	12-24V DC	LED	R	Flashing, Buzzer	2-Point Hole Type Mounting / Terminal Block
	SL08-M1KTB-Y	12-24V DC	LED	Y	Flashing, Buzzer	2-Point Hole Type Mounting / Terminal Block
	SL08-M2KTN-R	100-240V AC	LED	R	Flashing	2-Point Hole Type Mounting / Terminal Block
	SL08-M2KTN-Y	100-240V AC	LED	Y	Flashing	2-Point Hole Type Mounting / Terminal Block
SL10 Φ100	SL10-M1KTN-R	12-24V DC	LED	R	Flashing	2-Point Hole Type Mounting / Terminal Block
	SL10-M1KTN-Y	12-24V DC	LED	Y	Flashing	2-Point Hole Type Mounting / Terminal Block
	SL10-M1KTB-R	12-24V DC	LED	R	Flashing, Buzzer	2-Point Hole Type Mounting / Terminal Block
	SL10-M1KTB-Y	12-24V DC	LED	Y	Flashing, Buzzer	2-Point Hole Type Mounting / Terminal Block
	SL10-M2KTN-R	100-240V AC	LED	R	Flashing	2-Point Hole Type Mounting / Terminal Block
	SL10-M2KTN-Y	100-240V AC	LED	Y	Flashing	2-Point Hole Type Mounting / Terminal Block
SL15 Φ150	SL15-M1KTN-R	12-24V DC	LED	R	Flashing	3-Point Hole Type Mounting / Terminal Block
	SL15-M1KTN-Y	12-24V DC	LED	Y	Flashing	3-Point Hole Type Mounting / Terminal Block
	SL15-M2KTN-R	100-240V AC	LED	R	Flashing	3-Point Hole Type Mounting / Terminal Block
SF08 Φ80	SF08-M1KTN-R	12-24V DC	LED	R	Rotating, Flash, Pulse	2-Point Hole Type Mounting / Terminal Block
	SF08-M1KTN-Y	12-24V DC	LED	Y	Rotating, Flash, Pulse	2-Point Hole Type Mounting / Terminal Block
	SF10-M1KTN-R	12-24V DC	LED	R	Rotating, Flash, Pulse	2-Point Hole Type Mounting / Terminal Block
SF10 Φ100	SF10-M1KTN-Y	12-24V DC	LED	Y	Rotating, Flash, Pulse	2-Point Hole Type Mounting / Terminal Block
	SF10-M1KTB-R	12-24V DC	LED	R	Rotating, Flash, Pulse, Buzzer	2-Point Hole Type Mounting / Terminal Block
	SF10-M1KTB-Y	12-24V DC	LED	Y	Rotating, Flash, Pulse, Buzzer	2-Point Hole Type Mounting / Terminal Block
	SF10-M2KTN-R	100-240V AC	LED	R	Rotating, Flash, Pulse	2-Point Hole Type Mounting / Terminal Block
	SF10-M2KTN-Y	100-240V AC	LED	Y	Rotating, Flash, Pulse	2-Point Hole Type Mounting / Terminal Block

LED Work Lights

Series	Size	Part No	Rated Voltage	IP Rate	Light Color	Wiring
CLA	100mm	CLA1S-24A-CD-30	24V DC	IP66 / 67 / 69K	Daylight	Cable
	200mm	CLA2S-24A-CD-30	24V DC	IP66 / 67 / 69K	Daylight	Cable
	300mm	CLA3S-24A-CD-30	24V DC	IP66 / 67 / 69K	Daylight	Cable
	600mm	CLA6S-24A-CD-30	24V DC	IP66 / 67 / 69K	Daylight	Cable
	900mm	CLA9S-24A-CD-30	24V DC	IP66 / 67 / 69K	Daylight	Cable
CLK	300mm	CLK3C-24AG-CD	24V DC	IP66 / 67 / 69K	Daylight	M12
	600mm	CLK6C-24AG-CD	24V DC	IP66 / 67 / 69K	Daylight	M12

LED Work Lights



Series	Size	Part No	Rated Voltage	IP Rate	Light Color	Wiring
CLN	□85mm	CLN-24A-CD-PT	24V DC	IP66G / 67G / 69K	Daylight	Cable
	□85mm	CLN-24A-CD-T	24V DC	IP66G / 67G / 69K	Daylight	Cable
CWA	300mm	CWA3S-24-CD	24V DC	IP65	Daylight	Cable
	600mm	CWA6S-24-CD	24V DC	IP65	Daylight	Cable
	900mm	CWA9S-24-CD	24V DC	IP65	Daylight	Cable
CWK	200mm	CWK2S-24-CD	24V DC	IP66G / 67G	Daylight	Cable
	300mm	CWK3C-24-CD+FL008	24V DC	IP66G / 67G	Daylight	M12
	300mm	CWK3S-24-CD	24V DC	IP66G / 67G	Daylight	Cable
	600mm	CWK6S-24-CD	24V DC	IP66G / 67G	Daylight	Cable
CWF	300mm	CWF3S-24-CD	24V DC	IP20	Daylight	Cable
	300mm	CWF3S-M2C-CD	100-240V AC	IP20	Daylight	Cable

Audible Alarms & Voice Synthesizer



Series	Part No	Rated Voltage	Sound Pressure Level	Channel Inputs Bit(Binary)	Function 1	Function 2	Wiring
BSV 75x75	BSV-24P-D	12-24V DC	87	4(15)	PNP	MP3	Wire
EHS/EHV 166.5x 149.5	EHS-M1TE	12-24V DC	110	8(32)	NPN / PNP	Alarm	Terminal
	EHV-M1TG	12-24V DC	110 / 105	8(63)	NPN / PNP	Alarm / MP3	Terminal

Network Devices



Series	Part No	Rated Voltage	Tiers	Color	Function 1	Function 2	Mount
NHL	NHL-3FB2W-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	Ethernet	-
	NHL-3FV2W-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer, Voice, Digital input/output	Ethernet	-
PHE	PHE-3FB3N-RYG	24V DC	3	R, Y, G	Continuous, Flash, Buzzer	USB2.0 / RS232C	-
LA6-POE Φ60	LA6-5DSNWB-POE	24V DC Power over Ethernet (PoE): 48V DC	5	Multicolor(21colors)	Continuous, Flash, Buzzer	PoE	Direct Mount
	LA6-5DTNWB-POE	24V DC Power over Ethernet (PoE): 48V DC	5	Multicolor(21colors)	Continuous, Flash, Buzzer	PoE	Stationary Type
LR6-USB Φ60	LR6-3USBW-RYG	5V DC(USB Bus Powered)	3	R, Y, G	Continuous, Flash, Buzzer	USB2.0	Direct Mount
	LR6-3USBK-RYG	5V DC(USB Bus Powered)	3	R, Y, G	Continuous, Flash, Buzzer	USB2.0	Direct Mount
	LR6-USBW	5V DC(USB Bus Powered)	-	-	Buzzer	USB2.0	Direct Mount
	LR6-USBK	5V DC(USB Bus Powered)	-	-	Buzzer	USB2.0	Direct Mount
LR6-IL Φ60	LR6-ILWCNW	24V DC	-	-	Continuous	IO-Link	1/2" NPT pipe or direct mount
	LR6-ILWMNW	24V DC	-	-	Continuous	IO-Link	Direct Mount
NE-IL Φ56	NE-ILNB-M	24V DC	-	Multicolor(7colors)	Continuous, Flashing, Buzzer	IO-Link	-
	NE-ILTB-M	24V DC	-	Multicolor(7colors)	Continuous, Flashing, Buzzer, Touch sensor	IO-Link	-
	NE-ILXB-M	24V DC	-	Multicolor(7colors)	Continuous, Buzzer, Touch sensor, Digital / analog input	IO-Link	-
	NE-ILNN-M	24V DC	-	Multicolor(7colors)	Continuous, Flashing	IO-Link	-
	NE-ILTN-M	24V DC	-	Multicolor(7colors)	Continuous, Flashing, Touch sensor	IO-Link	-
WDT	WDT-5LR-Z2	24V DC	-	-	Wireless Transfer	Zigbee	LR5 series
	WDT-6LR-Z2	24V DC	-	-	Wireless Transfer	Zigbee	LR6 series

Network Devices



Series	Part No	Rated Voltage	Tiers	Color	Function 1	Function 2	Mount	
WD-PRO	WDB-D80S-PRO	24V DC	-	-	Signal tower inputs (R, Y, G, B, C, Buzzer) 8 external contact inputs; 1 reset input; serial communication input	Base Unit for WD-PRO	Zigbee	-
	WDR-LE-Z2-PRO	4V DC Power over Ethernet (PoE) 5V DC(USB Bus Powered)	-	-	CSV file Use WDS-WIN01, SOCKET communication (WDR protocol, WDR PRO protocol), Database linkage (MySQL), Modbus/ TCP communication	Wireless Receiver for WD-Z2, WD-PRO	Zigbee	-
	WDR-LE-Z2-PRO-L	24V DC Power over Ethernet (PoE) 5V DC(USB Bus Powered)	-	-	CSV file *Use WDS-WIN01, SOCKET communication (WDR protocol)	Wireless Receiver for WD-Z2, WD-PRO	Zigbee	-
	WDT-6LR-Z2-PRO	24V DC	-	-	-	Wireless Transfer	Zigbee	LR6 series

LR Series Optional Parts



Series	Part No	Compatible Models	Function
POLE	POLE-100A21+00109	LR6-USB	Φ21.7 100mm aluminum
	POLE-300A21+00109	LR6-USB	Φ21.7 300mm aluminum
	POLE22-0100AN	SZP-001W, SZP-002U, SZP-003W, SZQ-001W, SZK-001U	Φ21.7 100mm aluminum
	POLE22-0300AN	SZP-001W, SZP-002U, SZP-003W, SZQ-001W, SZK-001U	Φ21.7 300mm aluminum
	POLE22-0500AN	SZP-002U, SZK-001U	Φ21.7 300mm aluminum
	POLE22-0800AN	SZP-002U, SZK-001U	Φ21.7 800mm aluminum
	POLE22-1000AN	SZP-002U, SZK-001U	Φ21.7 300mm aluminum
	POLE22-0300ANK	SZP-001W, SZP-002U, SZP-003W, SZQ-001W, SZK-001U	Φ21.7 300mm aluminum Black
	POLE22-0100AT	SZK-001U, SZL-001	Φ21.7 300mm aluminum
	POLE22-0300AT	SZK-001U, SZL-001	Φ21.7 300mm aluminum
SZK	POLE22-0500AT	SZK-001U, SZL-001	Φ21.7 500mm aluminum
	SZK-001U	LR4-PJ, QJ / LR5-PJ / LR6-PJ, QJ	Wall Mount Bracket
	SZK-002W	LR4-WJ / LR5-WJ, WT	Wall Mount Bracket
	SZK-002U	LR4-WJ / LR5-WJ, WT	Wall Mount Bracket
	SZK-003W	LR6-WJ / LR7-WJ, WT	Wall Mount Bracket
	SZK-003U	LR6-WJ / LR7-WJ, WT	Wall Mount Bracket
	SZK-003K	LR6-WJ / LR7-WJ, WT	Wall Mount Bracket
	SZK-004W	LR6-WJ / LR7-WJ, WT	Wall Mount Bracket
SZL	SZL-001	LR4-LJ / LR5-LJ / LR6-LJ	L-Bracket
SZP	SZP-001W	LR4-PJ, QJ / LR5-PJ / LR6-PJ, QJ	Circular Bracket
	SZP-002U	LR4-PJ, QJ / LR5-PJ / LR6-PJ, QJ	Circular Bracket
	SZP-003W	LR4-PJ, QJ / LR5-PJ / LR6-PJ, QJ	Circular Bracket
	SZP-003U	LR4-PJ, QJ / LR5-PJ / LR6-PJ, QJ	Circular Bracket
	SZP-003K	LR4-PJ, QJ / LR5-PJ / LR6-PJ, QJ	Circular Bracket
	SZP-004W	LR6-USB / LA6-5DTNWB-POE / LA6-WJ, TN	Pole Bracket
SZP-004K	LR6-USB / LA6-5DTNWB-POE / LA6-WJ, TN	Pole Bracket	

LR Series Optional Parts



Series	Part No	Compatible Models	Function
SZQ	SZQ-001W	LR4-PJ, QJ / LR5-PJ / LR6-PJ, QJ	Folding Bracket
SZW	SZW-001W	LR4-WJ / LR5-WJ, WT / LR6-WJ	Circular Bracket
NE	NE-001D	NE-A, NE-IL	Pole Bracket
	NE-002D	NE-A, NE-IL	Wall Mount Bracket

LED Work Lights Optional Parts

Series	Part No	Compatible Models	Mount
CWF	CWF-001	CWF Series	Swivel Bracket
	CWF-002	CWF Series	Magnetic Mounting Bracket

Other Optional Parts



Series	Part No	Compatible Models	Rated Input	Rated Output
SZ	SZ-007	SKH / SKS / SL08, 10 / SF08, 10	-	-
	SZ-010	LR, LA6	-	-
	SZ-016A	LA6, LR6-USB	-	-
	SZ-320KS	CLK, CWK	-	-
	SZ-310AR	CLA	-	-
ADP	ADP-001	-	100-240V AC	24V DC

NOTE

NOTE


NOTE

A series of horizontal dashed lines for writing notes.

NOTE

A series of horizontal dashed lines for writing notes.

PATLITE Global Network



PATLITE Europe GmbH

Am Soeldnermoos 8, D-85399 Hallbergmoos, Germany
 TEL.+49 -811-9981-9770-0 FAX.+49-811-9981-9770-90 E-mail: info@patlite.eu

PATLITE Corporation

4-1-3, Kyutaromachi, Chuo-ku, Osaka 541-0056 Japan
 International Sales Division
 TEL.+81-6-7711-8953 FAX.+81-6-7711-8961 E-mail: overseas@patlite.co.jp

PATLITE (U.S.A.) Corporation

20130 S. Western Ave. Torrance, CA 90501, U.S.A.
 TEL.+1-310-328-3222 FAX.+1-310-328-2676 E-mail: sales@patlite.com

PATLITE (SINGAPORE) PTE LTD

No.2 Leng Kee Road, #05-01 Thye Hong Centre, Singapore 159086
 TEL.+65-6226-1111 FAX.+65-6324-1411 E-mail: sales@patlite.com.sg

PATLITE (CHINA) Corporation

Room 1102-1103, No.55, Lane 777, Guangzhong Road (West), Jing an District, Shanghai, China 200072
 TEL.+86-21-6630-8969 FAX.+86-21-6630-8938 E-mail: sales@patlite.cn

PATLITE KOREA CO., LTD.

A-2603, Daesung D-POLIS, 606, Seobusaet-gil, Geumcheon-gu, Seoul, 08504, Korea
 TEL.+82-2-523-6636 FAX.+82-2-861-9919 E-mail: sales@patlite.co.kr

PATLITE TAIWAN CO., LTD.

2F-1, No.215, Sec. 2, Chengde Rd., Datong Dist., Taipei City 10364, Taiwan (R.O.C.)
 TEL.+886-2-2552-9611 FAX.+886-2-2552-9811 E-mail: info@patlite.tw

PATLITE (THAILAND) CO., LTD.

Olympia Thai Tower, 15th Floor 444 Ratchadapisek Road Samsennok, Huay Kwang Bangkok 10310, Thailand
 TEL.+66-2-541-5431 FAX.+66-2-541-5429 E-mail: sales_150716@patlite.co.th

PATLITE MEXICO S.A. de C.V.

Plaza de La Paz No. 102, int. 712 Guanajuato Puerto Interior, Silao, Gto, C.P.36275, Mexico
 TEL.+52-472-748-9124 E-mail: ventas@patlite.com.mx

www.patlite.eu

• PATLITE, the PATLITE logo are either registered trademarks or trademarks of PATLITE Corporation in JAPAN and/or other countries.
 • MPEG Layer-3 audio coding technology licensed from Fraunhofer IIS and Thomson Licensing.
 • The names of other companies and products are trademarks or registered trademarks of their respective companies.

CAUTION

To ensure correct use of these products, read the "Instruction Manual" prior to use. Failure to follow all safeguards can result in fire, electric shock, or other accidents. Specifications are subject to change without notice.